Check when the change applies

Baseline A specifies component set A. CHANGE-B is approved on day 1 for unit C2 and later units. This original exercise uses invented administrative records.

Original record	Supported relationship	Review decision
BUILD-C1 records C1 completed on day 2 to baseline A.	C1 precedes the C2-and-later effective range.	Retain the recorded baseline A for C1.
INSTALL-C2 records set B incorporated into C2 on day 3.	The approved change has a linked implementation event for C2.	Cite CHANGE-B and INSTALL-C2 for C2.
KIT-B is a newer document in the folder with no C1 reference.	Document presence supplies no unit association.	Do not replace C1’s baseline from this file alone.

Write the reviewer key

At the end of day 3, cite BUILD-C1 and CHANGE-B for C1’s baseline A, and cite CHANGE-B and INSTALL-C2 for C2’s recorded B incorporation. Add an approved change with no incorporation record to test missing evidence.

Plan an original sample

Operation and model decision _____

Unit, baseline, effective range and incorporation records _____

Independent reviewer and cases held out from training _____

Source owners, permitted use and exclusions _____

Choose the commercial collection

Identify whether the buyer wants operating records, authorized new capture or another agreed source. Confirm the brief before expanding. Keep staged exercises labeled and use specialist review where the task requires it.

NASA configuration-management context · Plan a sample with Fiund